



Robust. Reliable. Energy Efficient

ABOUTUS

RR Global, a part of Ram Ratna Group, is a leading conglomerate in the Electrical industry and a global manufacturer. We collectively engineer every electrical need of a modern society through the four business lines, we operate in:

- Wires and Cables (RR Kabel)
- Winding Wires (RR Shramik)
- **Electrical Consumer Durables and Accessories (RR Electric)**
- Electro-Mechanical Multilevel Car Park Solutions (RR Parkon)

The group has a turnover of ₹4300 Cr. We proudly lead the way in all aspects of innovative, well-engineered solutions that are integrated into the highest quality products. A conglomerate with many group companies, Ram Ratna Group is headquartered in Mumbai, with corporate office in Baroda and has presence across India and abroad with 1 plant each in Bangladesh, Nepal and Middle East and 9 world-class manufacturing facilities in India.

ABOUT RR ELECTRIC

Ram Ratna Electricals Limited (RREL), is a part of RR Global which is engaged in the production and distribution of the following products under the brand name RR Electric. The products on offer are sleek designed and features, that compare with the best. Superior performance and of course the safety and reliability that have been the hallmark of RR over the years. It's our way of making life just a little more comfortable for the Indian consumer.

Product range comprises of:

Fans:

It has a wide range for both domestic and industrial customers. The range encompasses of the entire spectrum from ceiling, wall, table fans, pedestal, domestic exhaust fans and industrial fans.

RR Electricals is proud to launch **Super Power Saver 28W Ceiling Fan** under the brand name "MH Classic" - India's Lowest Wattage Branded Ceiling Fan. This Super Power Saver Ceiling Fan comes with service value of 8.0 plus. It saves 60% power compared to a conventional fan and hence your Fan becomes FREE in 9 months**.

Appliances:

Appliances comprise of a range of Water Heaters, Electric Irons, Immersion Rods, Room Heaters, Room Coolers etc.

Switches:

It has a wide range for both domestic and industrial customers. Launched the first of its kind "Design it Yourself" switches which are very well received and appreciated by the market. We have also designed and launched one of its kind in India - a 3 plate switches with transparent options in them.

LED Lighting:

It covers a comprehensive range of LED Lighting for domestic, industrial and outdoor applications. The product range comprises of LED Bulbs, Tube lights, Panel lights, Downlights, Flood lights, Hi-Bay, Bollard lights, Street Lights along with Poles etc. The product mix meets the requirements of both B2B and B2C customer for the value of money. Our products come with warranty and are backed by an efficient customer service team. We constantly strive towards innovation and improvisation of our various products and offerings.

STRILLARE Ceiling Fan





FEATURES

- Electroplated motor covers, canopy, blade bracket & down rod
- Chrome plated 5 aluminum blades
- Innovative designed light kit assembly
- 3 14 pole powerful motor
- Super silent operation

SWEEP	POWER	SPEED	AD
1200 MM	72 W	330 RPM	203 CMM

PROCELLA Ceiling Fan





- Finish to suit modern interiors
- Antique finish motor body & 4 blades
- Innovative designed light kit assembly
- 3 14 pole powerful motor
- Super silent operation

SWEEP	POWER	SPEED	AD
1200 MM	75 W	330 RPM	203 CMM



VOGUISH Ceiling Fan





Antic Brass

FEATURES

- Premium fan with full antique brass & metallic brown finish
- Elegant look
- Antique brass bottom show cap
- Precisely balanced aerodynamically designed blades

SWEEP	POWER	SPEED	AD
1200 MM	75 W	340 RPM	210 CMM

FEATURES

- Ornately designed blade with trims & ring
- Available in powder coated finish
- Aluminum die cast motor & blades
- Powerful motor ensures longer life
- Elegant look

SWEEP	POWER	SPEED	AD
1200 MM	77 W	350 RPM	215 CMM

GROOVY Ceiling Fan







Antic Copper

FEATURES

- Selectroplated motor covers, blade set, down rod & canopy
- 3 14 pole powerful motor
- Super silent operation
- Innovative design
- Also available in antic steel colour

SWEEP	POWER	SPEED	AD
1200 MM	72 W	350 RPM	210 CMM

CALID Ceiling Fan



Pearl White

FEATURES

- Elegant designed with decorative ring & trim
- Air delivery for 230 cu.m/min
- Aluminium blade to avoid corrosion
- Strong motor with high air delivery
- Aluminium die cast motor body

SWEEP	POWER	SPEED	AD
1200 MM	75 W	380 RPM	235 CMM



Roast Brown



White

RR FLECTRIC

CELERITY Ceiling Fan



GEORGIA Ceiling Fan





Ornately designed blade trims & ring gives a

SPEED

330 RPM

AD

245 CMM

Available in attractive metallic paint finish

Aluminum die cast motor & blades

Powerful motor ensures longer life

POWER

74 W



Caramel Gold



Chestnut Brown

Steel Grey







White



Matt Brown



Champagne Topaz



RR ELECTRIC

Pearl White

FEATURES

- Precisely balanced aerodynamically designed blades
- Gorgeous shape & matching canopy with gold ring
- Aluminum die cast motor & blades
- Robust motor with high air delivery

SWEEP	POWER	SPEED	AD
900 MM	68 W	430 RPM	160 CMM
1050 MM	70 W	400 RPM	190 CMM
1200 MM	72 W	380 RPM	230 CMM
1400 MM	78 W	300 RPM	250 CMM

BRAVURA Ceiling Fan







Caramel Brown



Pearl White

FEATURES

FEATURES

SWEEP

1200 MM

look of elegance

Elegant air delivery

- Precisely balanced aerodynamically designed blades
- Strong 14 pole motor for silent operation
- Aluminum die cast motor & blades
- Innovative styling
- A High air delivery

SWEEP	POWER	SPEED	AD
1200 MM	75 W	330 RPM	230 CMM

BRISA Ceiling Fan







Caramel Gold



White

- Wider, aerodynamically designed aluminium blades for effective air circulation
- Powerful motor ensures longer life & higher air thrust
- Exotic blade trims & body ring
- Superior air delivery

SWEEP	POWER	SPEED	AD
1200 MM	75 W	380 RPM	230 CMM



VAYOO Ceiling Fan

White







Ivory



White

FEATURES

- Precisely balanced aerodynamically designed blades
- Suitable for low voltage operation
- Aluminum die cast motor & blades

SWEEP	POWER	SPEED	AD
1200 MM	74 W	380 RPM	215 CMM

FEATURES

- Precisely balanced aerodynamically designed blades
- Suitable for low voltage operation
- Aluminum die cast motor & blades

SWEEP	POWER	SPEED	AD
600 MM	60 W	850 RPM	105 CMM
900 MM	68 W	440 RPM	150 CMM
1050 MM	70 W	410 RPM	175 CMM
1200 MM	74 W	380 RPM	215 CMM
1400 MM	76 W	290 RPM	240 CMM



White



Ivory

Luster Brown

Vayoo SF

RR

GEORGIA Ceiling Fan







Matt Brown



Granite Grey



Champagne Topaz

FEATURES

- Precisely balanced aerodynamically designed blades
- Gorgeous shape & matching canopy with gold ring
- Aluminum die cast motor & blades
- Robust motor with high air delivery



ZWEVEN Ceiling Fan







- Precisely balanced aerodynamically designed aluminium blades
- Strong 14 pole motor for silent operation & longer life
- Aluminium pressure die cast motor body
- ⊕ 5 star rated fan, with IS-374 specification
- Service value above 4.2

7				
	SWEEP	POWER	SPEED	AD
	1200 MM	50 W	345 RPM	210 CMM



Brown



FLOMAX⁺ Ceiling Fan





White

India's Lowest Wattage Branded Ceiling Fan

FEATURES

- 28 watts super power saver
- Service value of 8.0
- Save 60% power compared with conventional ceiling fan
- Saves 40% power compared to bee 5 star rated fan
- The fan runs on full speed in low voltage
- Silent working on inverter also

SWEEP	POWER	SPEED	AD
1200 MM	28 W	335 RPM	225 CMM

Extra fan cost RECOVERED

in 9 months**

India's most Energy efficient fan

Conventional fan = 74 watt | Difference = 46 watt | MH Classic = 28 watt | Difference = 46 watt

Assume fan runs for 12 hours per day

Extra power consumed = 12x46=552 watt per day

Suppose per unit (1000 watt) cost is ₹ 8 per unit

Extra money paid = 0.552x8 = ₹ 4.40 per day

Extra money paid in a month = 4.40x30

₹ 132 per month

With MH Classic Save ₹ 132 per month

So, 9 months saving ₹1188
Extra cost recoverd in 9 months, than

It's life time saving





Ivory



White

FEATURES

- Decorative ceiling fan
- Aluminium pressure die cast motor body
- Strong motor with high air delivery
- Double ball bearings for smooth operation
- Powder coated surface finish for better scratch resistance

SWEEP	POWER	SPEED	AD
1200 MM	74 W	380 RPM	215 CMM

FLOMAX Ceiling Fan







White



Ivory

FEATURES

- Aluminium pressure die cast motor body
- Strong motor with high air delivery
- Double ball bearings for smooth operation
- Powder coated surface finish for better scratch resistance

Also available in aluminium blade (FLOMAX DLX)

SWEEP	POWER	SPEED	AD
1200 MM	75 W	380 RPM	215 CMM
1400 MM	75 W	290 RPM	245+ CMM



GETTO Pedestal Fan





FEATURES

- New indexing feature for better movement of fan for up & down position
- Telescopic arrangement for height adjustment upto 150 mm
- Sleek switch panel & square base to add elegance to the room
- Onique strong, tough base design & decorative style
- Available in 400 mm sweep size
- Aerodynamically designed PP blades







Also available in high speed (2000 rpm in pp blades)

SWEEP (MM)	POWER	SPEED	AD
400 (NS)	60 W	1350 RPM	70 CMM
400 (HS)	110 W	2000 RPM	100 CMM

FEATURES

- New indexing feature for better movement of fan for up & down position
- Telescopic arrangement for height adjustment upto 150 mm
- Sleek switch panel & square base to add elegance to the room
- Unique strong, tough base design & decorative style
- Available in 400 mm sweep size
- Aerodynamically designed PP blades
- Speed 1340 RPM



Up & Down



Motor Protection




SWEEP (MM)	POWER	SPEED	AD
400 (NS)	60 W	1350 RPM	70 CMM
400 (HS)	110 W	2000 RPM	100 CMM

OXYMAX Pedestal Fan









- Aerodynamically designed PP blades
- Uniform oscillation 65°-75°
- Sleek switch panel & round base to add elegance to the room
- Our Unique strong, tough base design & decorative style
- Available in 400 mm sweep





Motor Protection



Also available in high speed (2000 rpm in pp blades)

SWEEP (MM)	POWER	SPEED	AD
400 (NS)	60 W	1350 RPM	70 CMM
400 (HS)	110 W	2000 RPM	100 CMM

DELISH Table Fan





- New indexing feature for better movement Of fan for up & down position
- Unique strong, tough base design & decorative style
- Available in 400 mm sweep size
- Aerodynamically designed PP blades
- Oscillation 90° / with 1350 rpm









SWEEP (MM)	POWER	SPEED	AD
400 (NS)	60 W	1350 RPM	70 CMM
400 (HS)	110 W	2000 RPM	100 CMM



OXYMAX Wall Fan







FEATURES

- Thermal overload protection with self re-setting
- Sleek switch panel & round base to add elegance to the room
- Unique strong, tough base design & decorative style
- Uniform oscillation 65° 75°
- Available in 400 mm sweep size
- Aerodynamically designed PP blades

SWEEP (MM)	POWER	SPEED	AD
400 (NS)	60 W	1350 RPM	70 CMM
400 (HS)	110 W	2000 RPM	100 CMM

GETTO Table Fan







FEATURES

- New indexing feature for better movement Of fan for up & down position
- Sleek switch panel & square base to add elegance to the room
- 4 Unique strong, tough base design & decorative style
- Available in 400 mm sweep size
- Aerodynamically designed PP blades
- Oscillation 90° / with 1350 RPM.

SWEEP (MM)	POWER	SPEED	AD
400 (NS)	60 W	1350 RPM	70 CMM
400 (HS)	110 W	2000 RPM	100 CMM

DELISH Wall Fan





FEATURES

- New indexing feature for better movement Of fan for up & down position
- Unique strong, tough base design & decorative style
- Available in 400 mm sweep size
- Aerodynamically designed PP blades
- Oscillation 90° / with 1350 RPM

SWEEP (MM)	POWER	SPEED	AD
400 (NS)	60 W	1350 RPM	70 CMM
400 (HS)	110 W	2000 RPM	100 CMM

RR



90 Degree Oscillation

FEATURES

- A High performance motor for better air delivery
- Pull cord control for speed and oscillation
 ON OFF
- Thermal overload protection with self re-setting
- Unique strong, tough base design & decorative style
- Uniform oscillation 65° 75°
- Available in 400 mm sweep size
- Aerodynamically designed PP blades

SWEEP (MM)	POWER	SPEED	AD
400 (NS)	65 W	1350 RPM	70 CMM
400 (HS)	110 W	2100 RPM	90 CMM

GETTO Wall Fan





FEATURES

- New indexing feature for better movement Of fan for up & down position
- Unique strong, tough base design & decorative style
- Available in 400 mm sweep size
- Aerodynamically designed PP blades
- Oscillation 90° / with 1350 RPM

SWEEP (MM)	POWER	SPEED	AD
400 (NS)	60 W	1350 RPM	70 CMM
400 (HS)	110 W	2000 RPM	100 CMM

Up & Down Tilt mechanism



OXYFLO ss Ventilation Fan





Silent Performance



Not sound

FEATURES

- Innovative modern design in stainless steel metal finish
- High quality motor for effective weather control

Also available in ivory color

SWEEP	POWER	SPEED	AD	DUST SIZE
4"	15 W	2400RPM	140 Cu.m/hr	98 MM ø
6"	20 W	2000RPM	275 Cu.m/hr	145 MM ø







OXYBREEZ SQR Ventilation Fan





FEATURES

- Innovative modern design
- A High quality motor for effective weather control

Also available in black & brown color

High Speed





SWEEP	POWER	SPEED	AD	DUST SIZE
4"	15 W	2400RPM	140 Cu.m/hr	109 MM ø
6"	20 W	2000RPM	275 Cu.m/hr	150 MM ø

FEATURES

- Aerodynamically designed PP blades for higher air delivery
- Bird screen for protection against bird and foreign matters
- Ideal for kitchen/ bathroom



Not sound



SWEEP	POWER	SPEED	AD
6"	34 W	2300 RPM	570 Cu.m/hr
8"	38 W	1800 RPM	823 Cu.m/hr

OXYBREEZ Ventilation Fan





FEATURES

- Aerodynamically designed PP blades for higher air delivery
- Ideal for kitchen/bathrooms
- To prevent the entry of foreign object like dust, birds and other particles, this fan comes with louvers





SWEEP	POWER	SPEED	AD	DUST SIZE
6" (NS)	24 W	1350 RPM	330 Cu.m/hr	174x174 MM
8" (NS)	32 W	1300 RPM	570 Cu.m/hr	245x245 MM
10" (NS)	40 W	1250 RPM	750 Cu.m/hr	317x317 MM
6" (HS)	34 W	2300 RPM	570 Cu.m/hr	174x174 MM
8" (HS)	38 W	1800 RPM	823 Cu.m/hr	245x245 MM

OXYBREEZ BX Ventilation Fan





FEATURES

- Aerodynamically designed metal blades for higher air delivery
- Bird screen for protection against bird and foreign matters
- ② Powder coated finish for long life
- 3 blade with copper bush motor





SWEEP	POWER	SPEED	AD	DUST SIZE
9"	45 W	1380RPM	600 Cu.m/hr	233X233 mm
12"	65 W	1380RPM	1000 Cu.m/hr	317X317 mm
14	00 00	1000111 101	1000 00.111/111	011/01/1111

OXYBREEZ DCT Ventilation Fan






- Innovative modern design suitable for best interiors
- A High quality motor for effective weather control
- Suitable for duct connection

Silent Performance Not sound



SWEEP	POWER	AD
6"	32 W	410 Cu.m/hr
8"	38 W	500 Cu.m/hr
10"	40 W	700 Cu.m/hr

OXYBREEZ EX Ventilation Fan









- Aerodynamically designed metal blades for higher air delivery
- Powder coated finish for long life
- Ideal for kitchen/ bathroom
- ® Bird screen for protection against bird and foreign matters
- 4 blade with double ball bearing motor

SWEEP	POWER	SPEED	AD
9"	45 W	1400 RPM	750 Cu.m/hr
12"	70 W	1400 RPM	1600 Cu.m/hr





FEATURES

- A Heavy duty capacitor motor for better energy efficiency
- Aerodynamically designed & well balanced 3 leaf broad metal blades for excellent air thrust over a distance at minimum noise level
- Heavy and large base with sturdy construction for better stability
- 2 t sound one powder coated finish for 100% resistance to corrosion & durability for longer life
- Olose mesh guard for safety with matching guard ring for aesthetic look
- Telescopic height adjustment
- Vibration free operation

SIZE	POWER	RPM
500mm	160 W	1400

VIENTO 450MM Pedestal Fan





		///
SIZE	POWER	RPM
450MM	100 W	1380



& FEATURES

- Aerodynamically designed & balanced blade
- Smooth oscillation
- Vertical tilt adjustment
- A High performance even at low voltage
- Excellent air thrust
- Extra large metal base for stability
- Adjustable telescopic height



FEATURES

- Heavier base to ensure absolute stability
- Oscillation to 85° to cater to wider area
- Lower power consumption
- Heavy duty, completely enclosed, energy efficient double ball bearing induction motors
- Metal frame with rubber mounting for silent operations
- Dust resistant motor ensures longer life
- Long lasting epoxy powder coating

Generally confirming to is & having iec registration



RAM RATNA ELECTRICALS LTD.

Regd. Office:

305/A, Windsor Plaza, R. C. Dutt Road, Alkapuri, Vadodara - 390 007.

T: +91 - 265 - 2321 891 / 2 / 3 • F: +91 - 265 - 2321 894

Corp. Office:

Ram Ratna House, Oasis Complex, P. B. Marg, Worli, Mumbai - 400 013.

T: +91 - 22 - 2494 9009 / 2492 4144 • F: +91 - 22 - 2493 0203

www.rrelectric.in

Customer Care Toll Free No: 18001032676

Service Co-ordinator: +91 9327553767 • Email: customercare@rrglobal.com

_